Table 1. HIV1 and AIDS CASES DIAGNOSED, KNOWN DEATHS, AND CASES PRESUMED LIVING

			(& CASE I		,	DEATHS OC		CASES PRESUMED LIVING DIAGNOSED DURING INTERVAL					
Year ⁵	H No.	IIV ¹ (%)	A No.	IDS (%)	HIV/AIDS Total	HIV ¹ No.	AIDS No.	HIV ¹ No.	AIDS No.	HIV/AIDS Total			
1982	2	0%	1	(100%)	3	0	0	2	0	2			
1983	5	(20%)	20	(100%)	25	Ö	7	4	0	4			
1984	8	0%	79	(97%)	87	ő	, 31	8	2	10			
1985	68	(12%)	132	(98%)	200	ő	81	60	3	63			
1986	58	(16%)	245	(98%)	303	Ö	126	49	5	54			
1987	71	(18%)	370	(96%)	441	2	188	58	15	73			
1988	85	(16%)	493	(94%)	578	6	236	71	28	99			
1989	114	(16%)	611	(92%)	725	8	309	96	49	145			
1990	135	(20%)	733	(91%)	868	6	371	108	63	171			
1991	147	(12%)	835	(88%)	982	4	461	129	98	227			
1992	134	(11%)	897	(79%)	1,031	7	515	119	187	306			
1993	116	(11%)	943	(71%)	1,059	12	617	103	274	377			
1994	170	(7%)	853	(59%)	1,023	9	676	158	347	505			
1995	181	(6%)	754	(42%)	935	6	665	171	439	610			
1996	221	(5%)	661	(29%)	882	6	495	209	469	678			
1997	227	(5%)	512	(22%)	739	10	226	215	399	614			
1998	216	(2%)	385	(25%)	601	6	167	211	289	500			
1999	269	(2%)	351	(24%)	620	7	137	263	268	531			
2000	334	(3%)	430	(20%)	764	34	165	323	342	665			
2001	306	(1%)	387	(16%)	693	24	153	303	326	629			
2002	304	(2%)	414	(13%)	718	23	157	297	362	659			
2003	317	(1%)	421	(11%)	738	29	184	315	376	691			
2004	320	0%	401	(7%)	721	10	152	320	372	692			
2005	377	(1%)	408	(5%)	785	9	102	373	388	761			
2006	70	0%	74	0%	144	2	14	70	74	144			
TOTAL	4,255	(5%)	11,410	(55%)	15,665	220	6,235	4,035	5,175	9,210			

Table 2. HIV1 and AIDS CASES, GENDER BY AGE AT DIAGNOSIS

			H	HIV 1		AIDS									
	Male		Female		Total			Male		ale	Total				
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)			
0-12	17	0%	21	0%	38	(1%)	15	0%	17	0%	32	0%			
13-19	64	(2%)	38	(1%)	102	(2%)	33	0%	13	0%	46	0%			
20-29	1,169	(27%)	228	(5%)	1,397	(33%)	1,670	(15%)	233	(2%)	1,903	(17%)			
30-39	1,490	(35%)	180	(4%)	1,670	(39%)	4,777	(42%)	391	(3%)	5,168	(45%)			
40-49	709	(17%)	105	(2%)	814	(19%)	2,805	(25%)	233	(2%)	3,038	(27%)			
50-59	172	(4%)	34	(1%)	206	(5%)	836	(7%)	98	(1%)	934	(8%)			
60+	24	(1%)	4	0%	28	(1%)	253	(2%)	36	0%	289	(3%)			
TOTAL	3,645	(86%)	610	(14%)	4,255	(100%)	10,389	(91%)	1,021	(9%)	11,410	(100%)			

Notes:

¹ Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

² Case fatality rate is the proportion of HIV or AIDS patients diagnosed during interval who are known to have died at some time since diagnosis.

³ Year of diagnosis reflects the time at which HIV infection or AIDS was diagnosed by a health care provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health.

⁴ Includes deaths among HIV or AIDS patients diagnosed during that interval or any preceding interval.

⁵ Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

Tables 3. HIV1 CASES, RACE/ETHNICITY 10 AND EXPOSURE CATEGORY 6

		Adult/Ad	lolescent		Ped	<u>iatric</u>	I	<u>otal</u>
	Male	(%)	Female	(%)	No.	(%)	No.	(%)
Race/Ethnicity								
White, not Hispanic	2,734	(75%)	302	(51%)	13	(33%)	3,049	(72%)
Black, not Hispanic	420	(12%)	187	(32%)	16	(41%)	623	(15%)
Hispanic (All Races)	288	(8%)	54	(9%)	6	(15%)	348	(8%)
Asian/Pacific Islander	2	0%	4	(1%)	0	0%	6	0%
Asian	85	(2%)	10	(2%)	4	(10%)	99	(2%)
Hawaiian/Pacific Islander	7	0%	1	0%	0	0%	8	0%
Native American/Alaskan	35	(1%)	27	(5%)	0	0%	62	(1%)
Multi-race	18	0%	1	0%	0	0%	19	0%
Unknown	38	(1%)	3	(1%)	0	0%	41	(1%)
Total	3,627	(100%)	589	(100%)	39	(100%)	4,255	(100%)
Exposure Category								
Male/male sex (MSM)	2,664	(73%)	0	0%	0	0%	2,664	(63%)
Injecting Drug Use (IDU)	238	(7%)	145	(25%)	0	0%	383	(9%)
MSM and IDU	354	(10%)	0	0%	0	0%	354	(8%)
Transfusion/Transplant	8	0%	10	(2%)	0	0%	18	0%
Hemophilia	12	0%	1	0%	1	(3%)	14	0%
Heterosexual Contact	128	(4%)	286	(49%)	0	0%	414	(10%)
Mother at Risk for HIV	0	0%	0	0%	35	(90%)	35	(1%)
No Identified Risk/Other	223	(6%)	147	(25%)	3	(8%)	373	(9%)
Total	3,627	(100%)	589	(100%)	39	(100%)	4,255	(100%)

Tables 4. AIDS CASES, RACE/ETHNICITY¹⁰ AND EXPOSURE CATEGORY⁶

		Adult/Ad	dolescent		Pedi	atric	<u>T</u>	<u>otal</u>
	Male	(%)	Female	(%)	No.	(%)	No.	(%)
Race/Ethnicity								
White, not Hispanic	8,225	(79%)	544	(54%)	15	(47%)	8,784	(77%)
Black, not Hispanic	1,006	(10%)	275	(27%)	10	(31%)	1,291	(11%)
Hispanic (All Races)	754	(7%)	88	(9%)	4	(13%)	846	(7%)
Asian/Pacific Islander	31	0%	13	(1%)	1	(3%)	45	0%
Asian	134	(1%)	18	(2%)	0	0%	152	(1%)
Hawaiian/Pacific Islander	21	0%	8	(1%)	0	0%	29	0%
Native American/Alaskan	160	(2%)	51	(5%)	1	(3%)	212	(2%)
Multi-race	33	` 0%	5	` 0%	1	(3%)	39	0%
Unknown	10	0%	2	0%	0	0%	12	0%
Total	10,374	(100%)	1,004	(100%)	32	(100%)	11,410	(100%)
Exposure Category								
Male/male sex (MSM)	7,528	(73%)	0	0%	0	0%	7,528	(66%)
Injecting Drug Use (IDU)	749	(7%)	287	(29%)	0	0%	1,036	(9%)
MSM and IDU	1,134	(11%)	0	0%	0	0%	1,134	(10%)
Transfusion/Transplant	73	(1%)	53	(5%)	0	0%	126	(1%)
Hemophilia .	83	(1%)	4	` 0%	4	(13%)	91	(1%)
Heterosexual Contact	306	(3%)	500	(50%)	0	` 0%	806	(7%)
Mother at Risk for HIV	1	` 0%	0	` 0%	28	(88%)	29	` 0%
No Identified Risk/Other	500	(5%)	160	(16%)	0	` 0%	660	(6%)
Total	10,374	(100%)	1,004	(100%)	32	(100%)	11,410	(100%)

Notes

¹ Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

^{6 &}lt;u>Heterosexual Contact</u> refers to contact with a person who is known to be HIV infected or at increased risk for HIV infection No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

Table 5. HIV1 AND AIDS CASES DIAGNOSED, KNOWN DEATHS, AND CASES PRESUMED LIVING, BY COUNTY OF RESIDENCE 8 AT DIAGNOSIS

		CAS	SES DIAC	GNOSED			DEA	THS			PRE	SUMED L	.IVING	
	ŀ	HIV 1		AIDS F	HIV/AIDS		HIV 1		AIDS		HIV 1	Al	DS	HIV/AIDS
	No.	(%)	No.	(%)	Total	No.	(%)	No.	(%)	No.	(%)	No.	(%)	Total
Region 1	172	(4.0%)	640	(5.6%)	812	14	(6.4%)	341	(5.5%)	158	(3.9%)	299	(5.8%)	457
ADAMS CO.	1	0.0%	5	0.0%	6	0	0.0%	1	0.0%	1	0.0%	4	(0.1%)	5
ASOTIN CO.	4	(0.1%)	16	(0.1%)	20	1	(0.5%)	6	(0.1%)	3	(0.1%)	10	(0.2%)	
COLUMBIA CO.	1	0.0%	4	0.0%	5	0	0.0%	3	0.0%	1	0.0%	1	0.0%	
FERRY CO.	0	0.0%	7	(0.1%)	7	0	0.0%	6	(0.1%)	0	0.0%	1	0.0%	
GARFIELD CO. LINCOLN CO.	0	0.0% 0.0%	0 4	0.0% 0.0%	1 4	0	0.0% 0.0%	0 2	0.0% 0.0%	1 0	0.0% 0.0%	0 2	0.0% 0.0%	
OKANOGAN CO.	7	(0.2%)	26	(0.2%)	33	I 0	0.0%	9	(0.1%)	7	(0.2%)	17	(0.3%)	
PEND OREILLE CO.	1 1	0.0%	8	(0.1%)	9	I 0	0.0%	5	(0.1%)	1	0.0%	3	(0.1%)	4
SPOKANE CO.	142	(3.3%)	484	(4.2%)	626	12	(5.5%)	268	(4.3%)	130	(3.2%)	216	(4.2%)	
STEVENS CO.	6	(0.1%)	19	(0.2%)	25	0	0.0%	10	(0.2%)	6	(0.1%)	9	(0.2%)	15
WALLA WALLA CO.	8	(0.2%)	53	(0.5%)	61	1	(0.5%)	27	(0.4%)	7	(0.2%)	26	(0.5%)	
WHITMAN CO.	1	0.0%	14	(0.1%)	15	0	0.0%	4	(0.1%)	1	0.0%	10	(0.2%)	11
Region 2	139	(3.3%)	390	(3.4%)	529	9	(4.1%)	187	(3.0%)	130	(3.2%)	203	(3.9%)	333
BENTON CO.	28	(0.7%)	80	(0.7%)	108	1	(0.5%)	37	(0.6%)	27	(0.7%)	43	(0.8%)	70
CHELAN CO.	18	(0.4%)	37	(0.3%)	55	2	(0.9%)	22	(0.4%)	16	(0.4%)	15	(0.3%)	
DOUGLAS CO.	2	0.0%	2	0.0%	4	0	0.0%	2	0.0%	2	0.0%	0	0.0%	
FRANKLIN CO.	20	(0.5%)	49	(0.4%)	69	1	(0.5%)	15	(0.2%)	19	(0.5%)	34	(0.7%)	53
GRANT CO.	10	(0.2%)	30	(0.3%)	40	1	(0.5%)	19	(0.3%)	9	(0.2%)	11	(0.2%)	20
KITTITAS CO.	4	(0.1%)	18	(0.2%)	22	0	0.0%	9	(0.1%)	4	(0.1%)	9	(0.2%)	13
KLICKITAT CO.	4	(0.1%)	9	(0.1%)	13	0	0.0%	6	(0.1%)	4	(0.1%)	3	(0.1%)	7
YAKIMA CO.	53	(1.2%)	165	(1.4%)	218	4	(1.8%)	77	(1.2%)	49	(1.2%)	88	(1.7%)	137
Region 3	328	(7.7%)	928	(8.1%)	1,256	24	(10.9%)	468	(7.5%)	304	(7.5%)	460	(8.9%)	764
ISLAND CO.	15	(0.4%)	58	(0.5%)	73	1	(0.5%)	33	(0.5%)	14	(0.3%)	25	(0.5%)	39
SAN JUAN CO.	6	(0.1%)	17	(0.1%)	23	1	(0.5%)	10	(0.2%)	5	(0.1%)	7	(0.1%)	12
SKAGIT CO.	26	(0.6%)	59	(0.5%)	85	3	(1.4%)	33	(0.5%)	23	(0.6%)	26	(0.5%)	49
SNOHOMISH CO.	228	(5.4%)	644	(5.6%)	872	16	(7.3%)	313	(5.0%)	212	(5.3%)	331	(6.4%)	
WHATCOM CO.	53	(1.2%)	150	(1.3%)	203	3	(1.4%)	79	(1.3%)	50	(1.2%)	71	(1.4%)	
Region 4 (King Co.)	2,788	(65.5%)	7,299	(64.0%)	10,087	129	(58.6%)	4,092	(65.6%)	2,659	(65.9%)	3,207	(62.0%)	5,866
KING CO.	2,788	(65.5%)	7,299	(64.0%)	10,087	129	(58.6%)	4,092	(65.6%)	2,659	(65.9%)	3,207	(62.0%)	5,866
Region 5	482	(11.3%)	1,205	(10.6%)	1,687	30	(13.6%)	668	(10.7%)	452	(11.2%)		(10.4%)	
KITSAP CO.	77	(1.8%)	206	(1.8%)	283	2	(0.9%)	115	(1.8%)	75	(1.9%)	91	(1.8%)	
PIERCE CO.	405	(9.5%)	999	(8.8%)	1,404	28	(12.7%)	553	(8.9%)	377	(9.3%)	446	(8.6%)	823
Region 6	346	(8.1%)	948	(8.3%)	1,294	14	(6.4%)	479	(7.7%)	332	(8.2%)	469	(9.1%)	801
CLALLAM CO.	20	(0.5%)	55	(0.5%)	75	2	(0.9%)	30	(0.5%)	18	(0.4%)	25	(0.5%)	43
CLARK CO.	156	(3.7%)	410	(3.6%)	566	3	(1.4%)	212	(3.4%)	153	(3.8%)	198	(3.8%)	351
COWLITZ CO.	39	(0.9%)	90	(0.8%)	129	1	(0.5%)	51	(0.8%)	38	(0.9%)	39	(0.8%)	
GRAYS HARBOR CO.	15	(0.4%)	56	(0.5%)	71	1	(0.5%)	32	(0.5%)	14	(0.3%)	24	(0.5%)	
JEFFERSON CO.	10	(0.2%)	23	(0.2%)	33	3	(1.4%)	15	(0.2%)	7	(0.2%)	8	(0.2%)	
LEWIS CO.	10	(0.2%)	41	(0.4%)	51 00	1	(0.5%)	25	(0.4%)	9	(0.2%)	16	(0.3%)	
MASON CO.	22	(0.5%)	76	(0.7%)	98 36	0	0.0%	23	(0.4%)	22	(0.5%)	53	(1.0%)	
PACIFIC CO. SKAMANIA CO.	9	(0.2%)	17	(0.1%) (0.1%)	26 7	1 0	(0.5%) 0.0%	10 5	(0.2%)	8 0	(0.2%)	7 2	(0.1%)	
THURSTON CO.	64	0.0% (1.5%)	7 171	(0.1%) (1.5%)	235	2	(0.9%)	5 76	(0.1%) (1.2%)	62	0.0% (1.5%)	95	0.0% (1.8%)	
WAHKIAKUM CO.	1	0.0%	2	0.0%	∠35 3		0.0%	0	0.0%	1	0.0%	95	0.0%	
STATE TOTAL	4,255	(100.0%)	11,410	(100.0%)	15,665	220	(100.0%)	6,235	(100.0%)	4,035	(100.0%)	5,175	(100.0%)	9,210

Notes:

Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

⁸ County of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

Table 6. HIV 1 CASES, YEAR OF DIAGNOSIS 3 BY GENDER, RACE/ETHNICITY 10, EXPOSURE CATEGORY 6, AND AIDSNET REGION OF RESIDENCE 9 AT DIAGNOSIS

	1982-1989		1990-1997		1998 - Current⁵		Cum	ulative		2002	2	2003	2	2004	200	5 ⁵	2006 YTD⁵	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
Race/Ethnicity																		
White, not Hispanic	353	(86%)	1,028	(77%)	1,668	(66%)	3,049	(72%)	195	(64%)	209	(66%)	197	(62%)	240	(64%)	47	(67%)
Black, not Hispanic	37	(9%)	158	(12%)	428	(17%)	623	(15%)	65	(21%)	61	(19%)	62	(19%)	64	(17%)	7	(10%)
Hispanic (All Races)	10	(2%)	91	(7%)	247	(10%)	348	(8%)	24	(8%)	29	(9%)	32	(10%)	45	(12%)	7	(10%)
Asian/Pacific Islander	0	0%	1	0%	5	0%	6	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Asian Hawaiian/Pacific Islander	3	(1%) 0%	24 0	(2%) 0%	72 7	(3%) 0%	99 8	(2%) 0%	7 0	(2%) 0%	9 2	(3%) (1%)	11 0	(3%) 0%	11 1	(3%) 0%	2	(1%) (3%)
Native American/Alaskan	5	(1%)	18	(1%)	39	(2%)	62	(1%)	6	(2%)	5	(2%)	9	(3%)	4	(1%)	1	(1%)
Multi-race	0	0%	2	0%	17	(1%)	19	0%	4	(1%)	1	0%	6	(2%)	3	(1%)	2	(3%)
Unknown	2	0%	9	(1%)	30	(1%)	41	(1%)	3	(1%)	1	0%	3	(1%)	9	(2%)	3	(4%)
Total	411	(100%)	1,331	(100%)	2,513	(100%)	4,255	(100%)	304	(100%)	317	(100%)	320	(100%)	377	(100%)	70	(100%)
Gender																		
Male	378	(92%)	1,127	(85%)	2,140	(85%)	3,645	(86%)	259	(85%)	270	(85%)	272	(85%)	320	(85%)	61	(87%)
Female	33	(8%)	204	(15%)	373	(15%)	610	(14%)	45	(15%)	47	(15%)	48	(15%)	57	(15%)	9	(13%)
Total	411	(100%)	1,331	(100%)	2,513	(100%)	4,255	(100%)	304	(100%)	317	(100%)	320	(100%)	377	(100%)	70	(100%)
Exposure Category																		
Male/male sex (MSM)	279	(68%)	821	(62%)	1,564	(62%)	2,664	(63%)	195	(64%)	201	(63%)	192	(60%)	219	(58%)	43	(61%)
Injecting Drug Use (IDU)	43	(10%)	136	(10%)	204	(8%)	383	(9%)	26	(9%)	23	(7%)	27	(8%)	22	(6%)	5	(7%)
MSM and IDU	50	(12%)	113	(8%)	191	(8%)	354	(8%)	24	(8%)	22	(7%)	23	(7%)	36	(10%)	8	(11%)
Transfusion/Transplant	3	(1%)	6	0%	9	0%	18	0%	1	0%	0	0%	2	(1%)	3	(1%)	0	0%
Hemophilia	9	(2%)	4	0%	1	0%	14	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Heterosexual Contact Mother at Risk for HIV	11	(3%) (1%)	128	(10%) (2%)	275 8	(11%) 0%	414 35	(10%) (1%)	38 0	(13%) 0%	36	(11%) 0%	34 1	(11%) 0%	37 0	(10%) 0%	6 0	(9%) 0%
No Identified Risk/Other	13	(3%)	24 99	(2%) (7%)	261	(10%)	373	(9%)	20	(7%)	34	(11%)	41	(13%)	60	(16%)	8	(11%)
Total	411	(100%)	1,331	(100%)	2,513	(100%)	4.255	(100%)	304	(100%)	317	(100%)	320	(100%)	377	(100%)	70	(100%)
	411	(10076)	1,001	(10078)	2,515	(10078)	4,200	(10078)	304	(10076)	317	(10078)	320	(10078)	311	(10078)	70	(10078)
AIDSNET Region	21	(E0/ \	53	(40/)	00	(40/)	172	(40/)	15	(E0/)	14	(40/)	17	/E0/\	10	(20/)	4	(10/)
Region 1 Region 2	11	(5%) (3%)	აა 41	(4%) (3%)	98 87	(4%) (3%)	172	(4%) (3%)	13	(5%) (4%)	14 7	(4%) (2%)	17 9	(5%) (3%)	12 18	(3%) (5%)	1	(1%) (1%)
Region 3	31	(8%)	120	(3 <i>%)</i> (9%)	177	(3%) (7%)	328	(8%)	15	(4 <i>%)</i> (5%)	25	(8%)	23	(3 <i>%)</i> (7%)	32	(8%)	5	(7%)
Region 4 (King Co.)	281	(68%)	843	(63%)	1.664	(66%)	2.788	(66%)	201	(66%)	205	(65%)	218	(68%)	229	(61%)	42	(60%)
Region 5	38	(9%)	164	(12%)	280	(11%)	482	(11%)	37	(12%)	40	(13%)	23	(7%)	50	(13%)	12	(17%)
Region 6	29	(7%)	110	(8%)	207	(8%)	346	(8%)	23	(8%)	26	(8%)	30	(9%)	36	(10%)	9	(13%)
Total	411	(100%)	1,331	(100%)	2,513	(100%)	4,255	(100%)	304	(100%)	317	(100%)	320	(100%)	377	(100%)	70	(100%)

Notes

- 1 This includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. It does not include those who have only been tested anonymously for HIV.
- 3 Year of diagnosis reflects the time at which disease was diagnosed by a provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health. Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.
- 6 <u>Heterosexual Contact</u> with a person who is known to be HIV infected or at increased risk for HIV infection. <u>No Identified Risk</u> includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.
- 9 AIDSNET Region of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.
- 10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

Table 7. AIDS CASES, YEAR OF DIAGNOSIS³ BY GENDER, RACE/ETHNICITY¹⁰, EXPOSURE CATEGORY ⁶, AND AIDSNET REGION OF RESIDENCE ⁹ AT DIAGNOSIS

	198	32-1989	199	1990-1997		1998 - Current⁵		ulative		2002	2	2003	2004		20055		2006	YTD⁵
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
Race/Ethnicity White, not Hispanic Black, not Hispanic Hispanic (All Races) Asian/Pacific Islander Asian Hawaiian/Pacific Islander Native American/Alaskan Multi-race Unknown	1,710 130 75 3 11 5 16 1	(88%) (7%) (4%) 0% (1%) 0% (1%) 0%	4,918 606 417 31 68 9 117 20 2	(79%) (10%) (7%) (1%) (1%) 0% (2%) 0%	2,156 555 354 11 73 15 79 18 10	(66%) (17%) (11%) 0% (2%) 0% (2%) (1%) 0%	8,784 1,291 846 45 152 29 212 39 12	(77%) (11%) (7%) 0% (1%) 0% (2%) 0%	266 74 43 3 13 2 11 1	(64%) (18%) (10%) (1%) (3%) 0% (3%) 0%	271 67 54 1 10 5 10 3	(64%) (16%) (13%) 0% (2%) (1%) (2%) (1%) 0%	266 65 42 0 9 2 10 5	(66%) (16%) (10%) 0% (2%) 0% (2%) (1%) 0%	257 74 42 1 18 1 10 5	(63%) (18%) (10%) 0% (4%) 0% (2%) (1%)	44 16 6 0 5 1 2 0	(59%) (22%) (8%) 0% (7%) (1%) (3%) 0%
Total	1,951	(100%)	6,188	(100%)	3,271	(100%)	11,410	(100%)	414	(100%)	421	(100%)	401	(100%)	408	(100%)	74	(100%)
Gender Male Female	1,889 62	(97%) (3%)	5,695 493	(92%) (8%)	2,805 466	(86%) (14%)	10,389 1,021	(91%) (9%)	343 71	(83%) (17%)	354 67	(84%) (16%)	333 68	(83%) (17%)	353 55	(87%) (13%)	66 8	(89%) (11%)
Total	1,951	(100%)	6,188	(100%)	3,271	(100%)	11,410	(100%)	414	(100%)	421	(100%)	401	(100%)	408	(100%)	74	(100%)
Exposure Category Male/male sex (MSM) Injecting Drug Use (IDU) MSM and IDU Transfusion/Transplant Hemophilia Heterosexual Contact Mother at Risk for HIV No Identified Risk/Other	1,499 82 234 47 30 29 8 22	(77%) (4%) (12%) (2%) (2%) (1%) 0% (1%)	4,226 573 612 64 52 373 18 270	(68%) (9%) (10%) (1%) (1%) (6%) 0% (4%)	1,803 381 288 15 9 404 3 368	(55%) (12%) (9%) 0% 0% (12%) 0% (11%)	7,528 1,036 1,134 126 91 806 29 660	(66%) (9%) (10%) (1%) (1%) (7%) 0% (6%)	220 47 37 1 0 71 0 38	(53%) (11%) (9%) 0% 0% (17%) 0% (9%)	237 45 35 1 1 55 0	(56%) (11%) (8%) 0% 0% (13%) 0% (11%)	210 44 32 3 1 55 0 56	(52%) (11%) (8%) (1%) 0% (14%) 0% (14%)	217 45 40 2 1 53 1 49	(53%) (11%) (10%) 0% 0% (13%) 0% (12%)	31 5 10 1 0 7 0 20	(42%) (7%) (14%) (1%) 0% (9%) 0% (27%)
Total	1,951	(100%)	6,188	(100%)	3,271	(100%)	11,410	(100%)	414	(100%)	421	(100%)	401	(100%)	408	(100%)	74	(100%)
AIDSNET Region Region 1 Region 2 Region 3 Region 4 (King Co.) Region 5 Region 6	79 48 111 1,434 171 108	(4%) (2%) (6%) (74%) (9%) (6%)	343 191 514 3,965 644 531	(6%) (3%) (8%) (64%) (10%) (9%)	218 151 303 1,900 390 309	(7%) (5%) (9%) (58%) (12%) (9%)	640 390 928 7,299 1,205 948	(6%) (3%) (8%) (64%) (11%) (8%)	26 15 41 246 37 49	(6%) (4%) (10%) (59%) (9%) (12%)	27 20 36 272 39 27	(6%) (5%) (9%) (65%) (9%) (6%)	30 23 40 222 45 41	(7%) (6%) (10%) (55%) (11%) (10%)	30 20 57 213 43 45	(7%) (5%) (14%) (52%) (11%) (11%)	5 6 4 46 7 6	(7%) (8%) (5%) (62%) (9%) (8%)
Total	1,951	(100%)	6,188	(100%)	3,271	(100%)	11,410	(100%)	414	(100%)	421	(100%)	401	(100%)	408	(100%)	74	(100%)

Notes

³ Year of diagnosis reflects the time at which disease was diagnosed by a provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health. Reporting delay is the per between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

⁵ Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

⁶ Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection. No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

⁹ AIDSNET Region of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

¹⁰ Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category.